

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
10B2: Lagonda-----	Slightly limited ~slope (slightly limited)	0.10	Moderately limited ~slope (moderately limited) ~percs slowly (moderately limited)	0.40	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited) ~percs slowly (moderately limited)	0.60	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited) ~slope (slightly limited)	0.60	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited) ~slope (slightly limited)	0.60
11C2: Lagonda-----	Moderately limited ~slope (moderately limited)	0.45	Very limited ~slope (very limited) ~percs slowly (moderately limited)	1.00	Very limited ~slope (very limited) ~erodes easily (moderately limited) ~percs slowly (moderately limited)	1.00	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited) ~wetness (moderately limited)	0.60	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited) ~wetness (moderately limited)	0.60
12B2: Bevier-----	Slightly limited ~slope (slightly limited)	0.10	Moderately limited ~slope (moderately limited) ~percs slowly (moderately limited)	0.40	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited) ~percs slowly (moderately limited)	0.60	Moderately limited ~erodes easily (moderately limited) ~slope (slightly limited)	0.60	Moderately limited ~erodes easily (moderately limited) ~slope (slightly limited)	0.60
15B: Grundy-----	Slightly limited ~slope (slightly limited)	0.10	Moderately limited ~slope (moderately limited) ~percs slowly (moderately limited)	0.40	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited) ~percs slowly (moderately limited)	0.60	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited) ~slope (slightly limited)	0.60	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited) ~slope (slightly limited)	0.60

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
16: Crestmeade-----	Not limited		Moderately limited ~percs slowly (moderately limited)	0.39	Moderately limited ~erodes easily (moderately limited) ~percs slowly (moderately limited)	0.60	Limited ~wetness (limited) ~erodes easily (moderately limited)	0.99	Limited ~wetness (limited) ~erodes easily (moderately limited)	0.99
19C2: Menfro-----	Moderately limited ~seepage (moderately limited) ~slope (moderately limited)	0.50	Limited ~slope (limited)	0.98	Limited ~slope (limited) ~erodes easily (moderately limited)	0.98	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited)	0.60	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited)	0.60
19F: Menfro-----	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited) ~erodes easily (moderately limited)	1.00	Very limited ~slope (very limited) ~erodes easily (moderately limited)	1.00	Very limited ~slope (very limited) ~erodes easily (moderately limited)	1.00
20A: Shannondale----	Very limited ~seepage (very limited)	1.00	Not limited		Not limited		Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36
20C2: Shannondale----	Very limited ~seepage (very limited) ~slope (slightly limited)	1.00	Limited ~slope (limited)	0.78	Limited ~slope (limited)	0.78	Moderately limited ~wetness (moderately limited) ~slope (slightly limited)	0.36	Moderately limited ~wetness (moderately limited) ~slope (slightly limited)	0.36

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
21C2: Knox-----	Moderately limited ~seepage (moderately limited) ~slope (moderately limited)	0.50 0.45	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Moderately limited ~slope (moderately limited)	0.45	Moderately limited ~slope (moderately limited)	0.45
22F3: Knox-----	Very limited ~slope (very limited) ~seepage (moderately limited)	1.00 0.50	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited)	1.00
23B2: Higginsville---	Moderately limited ~seepage (moderately limited) ~slope (slightly limited)	0.50 0.10	Moderately limited ~slope (moderately limited)	0.40	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited)	0.60 0.40	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited) ~slope (slightly limited)	0.60 0.36 0.10	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited) ~slope (slightly limited)	0.60 0.36 0.10
23C2: Higginsville---	Moderately limited ~seepage (moderately limited) ~slope (moderately limited)	0.50 0.45	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited) ~erodes easily (moderately limited)	1.00 0.60	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited) ~wetness (moderately limited)	0.60 0.45 0.36	Moderately limited ~erodes easily (moderately limited) ~slope (moderately limited) ~wetness (moderately limited)	0.60 0.45 0.36
25B: Wakenda-----	Moderately limited ~seepage (moderately limited) ~slope	0.50 0.10	Moderately limited ~slope (moderately limited)	0.40	Moderately limited ~slope (moderately limited)	0.40	Slightly limited ~slope (slightly limited)	0.10	Slightly limited ~slope (slightly limited)	0.10

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
	(slightly limited)									
25C2: Wakenda-----	Moderately limited ~seepage (moderately limited) ~slope (moderately limited)	 0.50 0.45	Very limited ~slope (very limited)	 1.00 	Very limited ~slope (very limited)	 1.00 	Moderately limited ~slope (moderately limited)	 0.45 	Moderately limited ~slope (moderately limited)	 0.45
26B: Armstrong-----	Moderately limited ~slope (moderately limited)	 0.45 	Very limited ~slope (very limited) ~percs slowly (moderately limited)	 1.00 0.39 	Very limited ~slope (very limited) ~percs slowly (moderately limited)	 1.00 0.39 	Moderately limited ~slope (moderately limited) ~wetness (moderately limited)	 0.45 0.44 	Moderately limited ~slope (moderately limited) ~wetness (moderately limited)	 0.45 0.44
26C2: Armstrong-----	Moderately limited ~slope (moderately limited)	 0.45 	Very limited ~slope (very limited) ~percs slowly (moderately limited)	 1.00 0.39 	Very limited ~slope (very limited) ~percs slowly (moderately limited)	 1.00 0.39 	Moderately limited ~slope (moderately limited) ~wetness (moderately limited)	 0.45 0.44 	Moderately limited ~slope (moderately limited) ~wetness (moderately limited)	 0.45 0.44
26D2: Armstrong-----	Limited ~slope (limited)	 0.99 	Very limited ~slope (very limited) ~percs slowly (moderately limited)	 1.00 0.39 	Very limited ~slope (very limited) ~percs slowly (moderately limited)	 1.00 0.39 	Limited ~slope (limited) ~wetness (moderately limited)	 0.99 0.44 	Limited ~slope (limited) ~wetness (moderately limited)	 0.99 0.44
27D3: Armstrong-----	Limited ~slope (limited)	 0.99 	Very limited ~slope (very limited) ~percs slowly (moderately limited)	 1.00 0.39 	Very limited ~slope (very limited) ~slow intake (moderately limited) ~erodes easily (moderately limited)	 1.00 0.60 0.60 	Limited ~slope (limited) ~erodes easily (moderately limited) ~wetness (moderately limited)	 0.99 0.60 0.44 	Limited ~slope (limited) ~erodes easily (moderately limited) ~wetness (moderately limited)	 0.99 0.60 0.44

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
28C: Keswick-----	Moderately limited ~slope (moderately limited)	0.45	Very limited ~slope (very limited) ~percs slowly (moderately limited)	1.00 0.39	Very limited ~slope (very limited) ~percs slowly (moderately limited)	1.00 0.39	Moderately limited ~slope (moderately limited) ~wetness (moderately limited)	0.45 0.44	Moderately limited ~slope (moderately limited) ~wetness (moderately limited)	0.45 0.44
31F: Winnegan-----	Very limited ~slope (very limited)	1.00	Very limited ~slope (very limited) ~percs slowly (moderately limited)	1.00 0.39	Very limited ~slope (very limited) ~percs slowly (moderately limited)	1.00 0.39	Very limited ~slope (very limited) ~wetness (slightly limited)	1.00 0.13	Very limited ~slope (very limited) ~wetness (slightly limited)	1.00 0.13
36D2: Gosport-----	Limited ~slope (limited) ~depth to bedrock (limited)	0.99 0.62	Very limited ~slope (very limited) ~percs slowly (very limited)	1.00 1.00	Very limited ~percs slowly (very limited) ~slope (very limited) ~erodes easily (moderately limited)	1.00 1.00 0.60	Limited ~slope (limited) ~erodes easily (moderately limited) ~depth to bedrock (moderately limited)	0.99 0.60 0.55	Limited ~slope (limited) ~depth to bedrock (limited) ~erodes easily (moderately limited)	0.99 0.62 0.60
36F: Gosport-----	Very limited ~slope (very limited) ~depth to bedrock (moderately limited)	1.00 0.60	Very limited ~slope (very limited) ~percs slowly (very limited)	1.00 1.00	Very limited ~percs slowly (very limited) ~slope (very limited) ~erodes easily (moderately limited)	1.00 1.00 0.60	Very limited ~slope (very limited) ~erodes easily (moderately limited) ~depth to bedrock (moderately limited)	1.00 0.60 0.51	Very limited ~slope (very limited) ~erodes easily (moderately limited) ~depth to bedrock (moderately limited)	1.00 0.60 0.60

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
37D2: Newcomer-----	Limited ~slope (limited) ~seepage (moderately limited) ~depth to bedrock (moderately limited)	 0.99 0.50 0.42 	Very limited ~slope (very limited)	 1.00 	Very limited ~slope (very limited)	 1.00 	Limited ~slope (limited) ~depth to bedrock (slightly limited)	 0.99 0.30 	Limited ~slope (limited) ~depth to bedrock (moderately limited)	 0.99 0.42
37F: Newcomer-----	Very limited ~slope (very limited) ~seepage (moderately limited) ~depth to bedrock (moderately limited)	 1.00 0.50 0.39 	Very limited ~slope (very limited)	 1.00 	Very limited ~slope (very limited)	 1.00 	Very limited ~slope (very limited) ~depth to bedrock (slightly limited)	 1.00 0.22 	Very limited ~slope (very limited) ~depth to bedrock (moderately limited)	 1.00 0.39
40F: Putco-----	Very limited ~slope (very limited)	 1.00 	Very limited ~slope (very limited) ~percs slowly (moderately limited)	 1.00 0.39 	Very limited ~slope (very limited) ~slow intake (moderately limited) ~percs slowly (moderately limited)	 1.00 0.60 0.39 	Very limited ~slope (very limited) ~large stones (moderately limited)	 1.00 0.33 	Very limited ~slope (very limited) ~large stones (moderately limited) ~droughty (slightly limited)	 1.00 0.33 0.20
42F: Schuline-----	Very limited ~slope (very limited)	 1.00 	Very limited ~slope (very limited) ~percs slowly (moderately limited) ~large stones (slightly limited)	 1.00 0.39 0.18 	Very limited ~slope (very limited) ~erodes easily (moderately limited) ~slow intake (moderately limited)	 1.00 0.60 0.60 	Very limited ~slope (very limited) ~erodes easily (moderately limited) ~large stones (slightly limited)	 1.00 0.60 0.11 	Very limited ~slope (very limited) ~erodes easily (moderately limited) ~large stones (slightly limited)	 1.00 0.60 0.11
Pits-----	Not rated		Not rated		Not rated		Not rated		Not rated	

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
47: Dockery-----	Moderately limited ~seepage (moderately limited)	0.50	Limited ~flooding (limited)	0.90	Limited ~flooding (limited) ~erodes easily (moderately limited)	0.90 0.60	Moderately limited ~erodes easily (moderately limited) ~wetness (slightly limited)	0.60 0.28	Moderately limited ~erodes easily (moderately limited) ~wetness (slightly limited)	0.60 0.28
50: Blackoar-----	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~flooding (moderately limited)	0.60	Moderately limited ~flooding (moderately limited)	0.60	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00
53: Colo-----	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~flooding (moderately limited)	0.60	Moderately limited ~flooding (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.44
54: Zook-----	Not limited		Moderately limited ~flooding (moderately limited) ~percs slowly (moderately limited)	0.60 0.39	Moderately limited ~slow intake (moderately limited) ~flooding (moderately limited) ~erodes easily (moderately limited)	0.60 0.60 0.60	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited)	0.60 0.60	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited)	0.60 0.60
56: Triplett-----	Not limited		Moderately limited ~percs slowly (moderately limited)	0.39	Moderately limited ~erodes easily (moderately limited) ~percs slowly (moderately limited)	0.60 0.39	Limited ~wetness (limited) ~erodes easily (moderately limited)	0.99 0.60	Limited ~wetness (limited) ~erodes easily (moderately limited)	0.99 0.60

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
60: Portage-----	Not limited		Very limited ~ponded (wetness) (very limited)	1.00	Very limited ~ponded (wetness) (very limited)	1.00	Very limited ~ponded (wetness) (very limited)	1.00	Very limited ~wetness (very limited)	1.00
			~percs slowly (very limited)	1.00	~percs slowly (very limited)	1.00	~wetness (very limited)	1.00	~erodes easily (moderately limited)	0.60
			~flooding (moderately limited)	0.60	~slow intake (limited)	0.99	~erodes easily (moderately limited)	0.60		
61: Carlow-----	Not limited		Very limited ~percs slowly (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00
			~flooding (moderately limited)	0.60	~slow intake (limited)	0.70	~erodes easily (moderately limited)	0.60	~erodes easily (moderately limited)	0.60
					~flooding (moderately limited)	0.60				
62: Carlow-----	Not limited		Very limited ~percs slowly (very limited)	1.00	Very limited ~percs slowly (very limited)	1.00	Very limited ~wetness (very limited)	1.00	Very limited ~wetness (very limited)	1.00
					~slow intake (limited)	0.70	~erodes easily (moderately limited)	0.60	~erodes easily (moderately limited)	0.60
					~erodes easily (moderately limited)	0.60				
64: Tina-----	Moderately limited ~seepage (moderately limited)	0.50	Slightly limited ~percs slowly (slightly limited)	0.13	Slightly limited ~percs slowly (slightly limited)	0.13	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
66C2: Gifford-----	Moderately limited ~slope (moderately limited)	0.30	Very limited ~percs slowly (very limited) ~slope (limited)	1.00 0.98	Very limited ~percs slowly (very limited) ~slope (limited) ~erodes easily (moderately limited)	1.00 0.98 0.60	Limited ~wetness (limited) ~erodes easily (moderately limited) ~slope (moderately limited)	0.81 0.60 0.30	Limited ~wetness (limited) ~erodes easily (moderately limited) ~slope (moderately limited)	0.81 0.60 0.30
68: Tuskeego-----	Not limited		Very limited ~percs slowly (very limited) ~flooding (moderately limited)	1.00 0.60	Very limited ~percs slowly (very limited) ~flooding (moderately limited) ~erodes easily (moderately limited)	1.00 0.60 0.60	Very limited ~wetness (very limited) ~erodes easily (moderately limited)	1.00 0.60	Very limited ~wetness (very limited) ~erodes easily (moderately limited)	1.00 0.60
70: Speed-----	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~flooding (moderately limited)	0.60	Moderately limited ~flooding (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36
72: Tice-----	Moderately limited ~seepage (moderately limited)	0.50	Limited ~flooding (limited)	0.90	Limited ~flooding (limited)	0.90	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36
73: Tice-----	Moderately limited ~seepage (moderately limited)	0.50	Not limited		Moderately limited ~slow intake (moderately limited)	0.60	Moderately limited ~wetness (moderately limited)	0.36	Moderately limited ~wetness (moderately limited)	0.36

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
78: Levasy-----	Moderately limited ~seepage (moderately limited)	0.50	Very limited ~ponded (wetness) (very limited) ~percs slowly (moderately limited)	1.00 0.39	Very limited ~ponded (wetness) (very limited) ~slow intake (limited) ~percs slowly (moderately limited)	1.00 0.79 0.39	Very limited ~ponded (wetness) (very limited) ~wetness (limited)	1.00 0.99	Limited ~wetness (limited)	0.99
81: Haynie-----	Moderately limited ~seepage (moderately limited)	0.50	Not limited		Not limited		Not limited		Not limited	
82: Sarpy-----	Very limited ~seepage (very limited)	1.00	Limited ~cutbanks cave (limited)	0.90	Limited ~fast intake (limited) ~droughty (limited)	0.90 0.69	Very limited ~too sandy (very limited)	1.00	Limited ~droughty (limited)	0.69
83: Landes-----	Very limited ~seepage (very limited)	1.00	Limited ~cutbanks cave (limited)	0.90	Not limited		Very limited ~too sandy (very limited)	1.00	Not limited	
84: Haynie-----	Moderately limited ~seepage (moderately limited)	0.50	Not limited		Not limited		Not limited		Not limited	
Waldron-----	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~percs slowly (moderately limited)	0.39	Limited ~slow intake (limited) ~percs slowly (moderately limited)	0.70 0.39	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.44

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
85: Waldron-----	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~percs slowly (moderately limited)	0.39	Limited ~slow intake (limited) ~percs slowly (moderately limited)	0.70 0.39	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.44
86: Parkville-----	Moderately limited ~seepage (moderately limited)	0.50	Very limited ~percs slowly (very limited)	1.00	Very limited ~percs slowly (very limited) ~slow intake (moderately limited)	1.00 0.60	Moderately limited ~too sandy (moderately limited) ~wetness (moderately limited)	0.60 0.60	Moderately limited ~wetness (moderately limited)	0.60
87: Modale-----	Moderately limited ~seepage (moderately limited)	0.50	Moderately limited ~percs slowly (moderately limited)	0.39	Moderately limited ~erodes easily (moderately limited) ~percs slowly (moderately limited)	0.60 0.39	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited)	0.60 0.36	Moderately limited ~erodes easily (moderately limited) ~wetness (moderately limited)	0.60 0.36
88: Cotter-----	Moderately limited ~seepage (moderately limited)	0.50	Not limited		Not limited		Not limited		Not limited	
89: Norborne-----	Moderately limited ~seepage (moderately limited)	0.50	Not limited		Not limited		Not limited		Not limited	

Chariton County, Missouri: Detailed Soil Map Legend

Water Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pond reservoir areas		Drainage		Irrigation		Terraces and diversions		Grassed waterways	
	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
93: Booker-----	Not limited		Very limited ~ponded (wetness) (very limited) ~percs slowly (very limited)	1.00 1.00	Very limited ~ponded (wetness) (very limited) ~percs slowly (very limited) ~slow intake (limited)	1.00 1.00 0.89	Very limited ~ponded (wetness) (very limited) ~wetness (very limited)	1.00 1.00	Very limited ~wetness (very limited)	1.00
94: Grable-----	Very limited ~seepage (very limited)	1.00	Limited ~cutbanks cave (limited)	0.90	Not limited		Very limited ~too sandy (very limited)	1.00	Not limited	
99: Haynie-----	Moderately limited ~seepage (moderately limited)	0.50	Limited ~flooding (limited)	0.90	Limited ~flooding (limited)	0.90	Not limited		Not limited	
Waldron-----	Moderately limited ~seepage (moderately limited)	0.50	Limited ~flooding (limited) ~percs slowly (moderately limited)	0.90 0.39	Limited ~flooding (limited) ~slow intake (limited) ~percs slowly (moderately limited)	0.90 0.70 0.39	Moderately limited ~wetness (moderately limited)	0.44	Moderately limited ~wetness (moderately limited)	0.44
M-W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	
W: Water-----	Not rated		Not rated		Not rated		Not rated		Not rated	